

10/553588 Customer No.: 052054 Application No.: TBD Applicant: Shigeki Imafuku et al. Atty. Docket No.: 38837



2/13



10/553588

Application No.: TBD Applicant: Shigeki Imafuku et al. Atty. Docket No.: 38837

FIG. 3 (a)


IDENTIFICATION CODE	OBSTACLE NAME	Xmin [mm]	Ymin [mm]	Xmax [mm]	Ymax [mm]	H [mm]
Α	COMPONENT CAMERA	200	450	250	500	10
В	NOZZLE STATION	150	300	250	400	30
С	MARK	100	240	120	260	20
D	CONVEYANCE RAIL	0	180	200	200	10

FIG. 3 (b)


	X [mm]	Y ·[mm]
MOUNTING POSITION ON CIRCUIT BOARD	100	100

10/553588

Application No.: TBD Applicant: Shigeki Imafuku et al. Atty. Docket No.: 38837



5/13



Customer No.: 052054 Application No.: TBD Applicant: Shigeki Imafuku et al. Atty. Docket No.: 38837

FIG. 5 (a)






FIG. 5 (b)





10/553588 Eustomer No: 052054

Application No.: TBD Applicant: Shigeki Imafuku et al. Atty. Docket No.: 38837

FIG. 6







10/553588 10/553588

Application No.: TBD Applicant: Shigeki Imafuku et al. Atty. Docket No.: 38837

FIG. 9






FIG. 10




10/553588 10ustomer No.: 052054

Application No.: TBD Applicant: Shigeki Imafuku et al. Atty. Docket No.: 38837

FIG. 11





10/5535555

Application No.: TBD Applicant: Shigeki Imafuku et al. Atty. Docket No.: 38837

FIG. 13

